DCN: BSI-COA-0128 v. 4.1



| 100 Majestie Way, Bangot, 171 100137 www.orospectra.us |                                       |  |                     |                       |  |
|--|---------------------------------------|--|---------------------|-----------------------|--|
| Effective Date:  | 04-APR-2024                           |  | 04-APR-2027         | : Date of Next Review |  |
| Prepared By:   | Carissa Albert                        |  | BSI-COA-0128 v. 4.0 | : Supersedes          |  |
| QA/QC Approval:  | Jaron Hughes                          |  | Wayne Talamonti     | : Management Approval |  |
| Reason for Revision:                                   | See Revision History in MasterControl |  |                     |                       |  |

## CERTIFICATE OF ANALYSIS D-GALACTOSE, PLANT DERIVED BIO EXCIPIENT GRADE / GALP-3251-21

LOT: GALP-0124-00061

C<sub>6</sub>H<sub>12</sub>O<sub>6</sub> ↑ F.W. 180.16 g/mol. ↑ CAS# 59-23-4 Manufacturing Date: 03/27/24 Retest Date: 03/31/26 Manufacturing Site: 100 Majestic Way, Bangor PA, 18013

Packaging Date: 04/28/24 Packaging Site: 100 Majestic Way, Bangor PA, 18013

| EP COMPENDIA                        |                              |  |  |  |
|-------------------------------------|------------------------------|--|--|--|
| Analysis                            |                              | SPECIFICATION  | TEST RESULT  |  |
| <sup>2</sup> Acidity or Alkal       | inity                        | Passes Test Passes Test  |  |  |
| Appearance                          |                              | White to almost white, crystalline or finely granulated powder | White to almost white, crystalline or finely granulated powder |  |
| <sup>2</sup> Appearance of S        | olution                      | Passes Test  | Passes Test  |  |
| <sup>1</sup> Assay                  |                              | 398.0%-102.0%  | 99.4%  |  |
| <sup>2</sup> Identification A       |                              | Conforms to Reference  | Conforms to Reference  |  |
| <sup>1</sup> Identification B       |                              | Passes Test  | Passes Test  |  |
| <sup>2</sup> Identification C       |                              | Passes Test  | Passes Test  |  |
| <sup>2</sup> Microbial Content TAMC |                              | $\leq 100 \text{ CFU/g}$                                       | <10 CFU/g  |  |
| Proteins                            |                              | $\leq 0.1 \text{ mg/mL}$                                       | <0.1 mg/mL   |  |
| <sup>1</sup> Related<br>Substances  | Sum of Impurities<br>A and B | ≤ 1.0%   | <0.05%   |  |
|                                     | Unspecified Impurities       | ≤ 0.3%   | <0.05%   |  |
|                                     | Total Impurities             | ≤ 2.0%   | <0.05%   |  |
| Sulfated Ash                        |                              | ≤ 0.1%   | <0.1%  |  |
| <sup>2</sup> Water                  |                              | ≤ 1.0%   | 0.2%   |  |

| NF COMPENDIA                                |  |                            |                       |  |  |
|---|--|----------------------------|-----------------------|--|--|
| Analysis                                    |  | SPECIFICATION              | TEST RESULT           |  |  |
| <sup>2</sup> Acidity                        |  | Passes Test                | Passes Test           |  |  |
| <sup>2</sup> Appearance o                   | of Solution                                  | Passes Test                | Passes Test           |  |  |
| <sup>1</sup> Assay                          |  | 98.0 - 102.0%              | 99.4%                 |  |  |
| Barium                                      |  | Passes Test                | Passes Test           |  |  |
| <sup>2</sup> Identification                 | A  | Conforms to Reference      | Conforms to Reference |  |  |
| <sup>1</sup> Identification                 | В  | Passes Test                | Passes Test           |  |  |
| <sup>2</sup> Identification                 | C  | Passes Test                | Passes Test           |  |  |
| <sup>1</sup> Limit of Lead                  | 1  | ≤ 0.5 ppm                  | <0.005 ppm            |  |  |
|   | Escherichia coli                             | Absent                     | Absent                |  |  |
|   | Pseudomonas aeruginosa                       | Absent                     | Absent                |  |  |
| <sup>2</sup> Microbial                      | Salmonella species                           | Absent                     | Absent                |  |  |
| Content                                     | Staphylococcus aureus                        | Absent                     | Absent                |  |  |
|   | TAMC   | $^3 \le 100 \text{ CFU/g}$ | <10 CFU/g             |  |  |
|   | TYMC   | $\leq 100 \text{ CFU/g}$   | <10 CFU/g             |  |  |
|   | Lactose and 1,6-<br>galactosyl-<br>galactose | ≤ 0.6%                     | <0.05%                |  |  |
|   | Galacturonic Acid                            | ≤ 0.6%                     | <0.05%                |  |  |
|   | Dextrose                                     | ≤ 0.6%                     | <0.05%                |  |  |
| <sup>1</sup> Related                        | Tagatose                                     | ≤ 0.6%                     | <0.05%                |  |  |
| Substances                                  | Dulcitol                                     | ≤ 0.6%                     | <0.05%                |  |  |
|   | Arabinose                                    | ≤ 0.6%                     | <0.05%                |  |  |
|   | Any Unspecified<br>Impurity                  | ≤ 0.2%                     | <0.05%                |  |  |
|   | Total Impurities                             | ≤ 1.0%                     | <0.05%                |  |  |
| Residue on Ignition                         |  | ≤ 0.1%                     | <0.1 %                |  |  |
| Optical Rotation, Specific Rotation  @ 20°C |  | +78.0° to +81.5°           | +80.5°                |  |  |
| <sup>2</sup> Water                          |  | ≤ 1.0%                     | 0.2%                  |  |  |

| ADDITIONAL ANALYSES                          |                 |               |             |            |  |
|--|-----------------|---------------|-------------|------------|--|
| ANALYSIS                                     |                 | SPECIFICATION | TEST RESULT |            |  |
| Endotoxins                                   |                 | ≤ 2.5 EU/g    | <1.0 EU/g   | PARTICULAR |  |
| <sup>1</sup> Glucose                         |                 | ≤ 0.1%        | <0.05%      |            |  |
|  | Aluminum (Al)   | ≤ 400 ppb     | <400 ppb    |            |  |
|  | Cadmium (Cd)    | ≤ 10 ppb      | <6 ppb      |            |  |
|  | Cobalt (Co)     | ≤ 50 ppb      | <5 ppb      |            |  |
|  | Chromium (Cr)   | $\leq$ 50 ppb | <50 ppb     |            |  |
|  | Copper (Cu)     | ≤ 25 ppb      | <25 ppb     |            |  |
| Trace Metals                                 | Iron (Fe)       | ≤ 200 ppb     | <200 ppb    |            |  |
|  | Manganese (Mn)  | ≤ 25 ppb      | <25 ppb     |            |  |
|  | Molybdenum (Mo) | ≤ 50 ppb      | <50 ppb     |            |  |
|  | Nickel (Ni)     | ≤ 50 ppb      | <20 ppb     |            |  |
|  | Selenium (Se)   | ≤ 50 ppb      | <50 ppb     |            |  |
|  | Vanadium (V)    | $\leq$ 50 ppb | <10 ppb     |            |  |
|  | Zinc (Zn)       | ≤ 200 ppb     | <200 ppb    |            |  |
| <sup>1</sup> Residual Ethan                  | ol              | ≤ 500 ppm     | <240 ppm    |            |  |
| <sup>1</sup> Residual Isopro                 | panol           | ≤ 5000 ppm    | <2510 ppm   |            |  |
| <sup>1</sup> Residual Methanol               |                 | ≤ 100 ppm     | <80 ppm     |            |  |
| <sup>1</sup> Residual Methyl Isobutyl Ketone |                 | ≤ 500 ppm     | <250 ppm    |            |  |

COUNTRY OF ORIGIN: U.S.A.

TEST METHOD REFERENCE: DCN: BSI-ATM-0026

<u>INTENDED USE:</u> Material represented by this Certificate of Analysis is suitable for use as an excipient. It is manufactured in accordance with the ICH Q7 Good Manufacturing Practice Guide. The material represented by this Certificate of Analysis is not suitable to be used as an Active Pharmaceutical Ingredient, Drug Product or Household Item.

Prepared by: Anilla Date: 5/21/24 Job Title: QA Tech 1

Reviewed by: Gran Anglan Date: 5/21/24 Job Title: QA Supervisor

<sup>&</sup>lt;sup>1</sup>Alternate Validated Method

<sup>&</sup>lt;sup>2</sup>Analyses are Harmonized

<sup>&</sup>lt;sup>3</sup>Specification is more stringent than Compendia Monograph

|   |   | • |   | • | • |   |
|---|---|---|---|---|---|---|
|   | · |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   | • |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
| • |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   | • |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   | • |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |