

BIOBUFFER SOLUTIONS

100 Majestic Way, Bangor, PA 18013 / www.biospectra.us

Effective Date:	11-Jul-2024	11-Jul-2027	: Date of Next Review
Prepared By:	Carissa Albert	BSI-COA-0131 v.6.2	: Supersedes
QA/QC Approval:	Jaron Hughes	Wayne Talamonti	: Management Approval
Reason for Revision:	See Revision History in MasterControl.		

CERTIFICATE OF ANALYSIS

L-CYSTINE diHCl

BIO PHARMA GRADE / LCYS-4250-25

LOT: LCYS-L02-1024-0024

 $C_6H_{12}N_2O_4S_2 \cdot 2HCl$ * F.W. 313.22 g/mol. * CAS# 30925-07-6

Retest Date: 05/31/26

Manufacturing/Packaging Date: 10/02/24 Packaging Site: 100 Majestic Way, Bangor PA, 18013

ANALYSIS	SPECIFICATION	TEST RESULT
Appearance and Color	White to Slightly Yellow Crystalline Powder	White to Slightly Yellow Crystalline Powder
Assay (Dried Basis)	98.0% - 102.0%	99.8%
Bioburden	≤ 100 CFU/g	< 10 CFU/g
Chloride	22.2% - 23.5%	22.6%
Endotoxin	<0.02 EU/mg	< 0.02 EU/mg
Heavy Metals (Pb)	<10 ppm	< 0.15 ppm
Identification (IR Spectrum)	Passes Test	Passes Test
Loss on Drying @ 105°C	≤ 0.5%	< 0.5%
pH (0.1% soln.)	Report	2.38 @ 23.5°C
Residue on Ignition	≤ 0.1%	< 0.1%
Specific Rotation (Free Basis) @ 20°C	-225.0° to -215.0°	-222.0°
Solubility	Passes Test	Passes Test

COUNTRY OF ORIGIN: India

INTENDED USE: Material represented by this Certificate of Analysis is suitable for use as a process chemical. It is GMP manufactured by the approved supplier in accordance with the approved supplier's ISO 9001:2015 certified management system. The material represented by this Certificate of Analysis is not suitable to be used as an Active Pharmaceutical Ingredient, Drug, Drug Product or Household Item.

RETEST DATE: The retest date is obtained from the approved supplier's certificate of analysis.

Prepared by: Amel McCall Date: 10/14/24 Job Title: QA Techn

Reviewed by: Jaron Berghman Date: 10/4/24 Job Title: QA Supervisor