DCN: BSI-COA-0311 v.1.0



100 Majestic Way, Bangor, PA 18013 / www.biospectra.us

Effective Date:	20-Jan-2025	20-Jan-2028	: Date of Next Review
Prepared By:	Amy Yencho	Not Applicable	: Supersedes
QA/QC Approval:	Krista Rehrig	Carissa Albert	: Management Approval
Reason for Revision:	See Revision History in MasterControl.		

CERTIFICATE OF ANALYSIS DEXTRAN SULFATE SODIUM SALT, MW 8000 BIOTECH, LBLE, GMP BIO PHARMA GRADE / DXSE-4252

LOT: DXSE-G13-0225-0002

 $(C_6H_7Na_3O_{14}S_3)n \ ^{\leftarrow} \ M.W.\ 8000\ g/mol.\ ^{\leftarrow} \ CAS\#\ 9011-18-1$

Manufacture Date: 02/04/25 Retest Date: 03/31/27 Manufacturing Site: 100 Majestic Way, Bangor PA, 18013 Packaging Site: 100 Majestic Way, Bangor PA, 18013

ANALYSIS Appearance (Color)		SPECIFICATION	TEST RESULT White	
		Off White to Light Yellow		
Appearance (Form)		Powder	Powder	
Chloride Content		≤ 1000 ppm	< 1000 ppm	
Clarity (20% solution) Absorbance at 360nm		\leq 0.9 OD unit	< 0.9 OD unit	
	DNase Endo/Nickase	Passes Test	Passes Test	
Enzymes	DNase Exonuclease	Passes Test	Passes Test	
	Protease	Passes Test	Passes Test	
Free Inorganic Sulfate		≤ 0.2 %	< 0.2 %	
Glucose		35 – 48 %	38 %	
Identification (Colorimetric)		Passes Test	Passes Test	
Insoluble Iron		≤ 2.0 %	< 0.00045 %	
Loss on Drying		≤ 10.0 %	3.7 %	
Microbial Content		$\leq 10 \text{ CFU/g}$	< 10 CFU/g	
pH (1% solution)		5.0 - 7.5	6.9	
Residue on Ignition		35 – 50 %	42 %	
Residual Pyridine		≤2.0 %	< 2.0 %	
Specific Rotation 20°C		+75° - +105°	+86°	
Total Sulfur Content		17.0% - 20.0%	17.7 %	
Viscosity (In 1.0M NaCl at 25°C)		0.018 - 0.032	0.030	

DCN: BSI-COA-0311 v.1.0

COUNTRY OF ORIGIN: U.S.A.

TEST METHOD REFERENCE: DCN: BSI-ATM-0091

INTENDED USE: Material represented by this Certificate of Analysis is suitable for use as a process chemical. It is manufactured in accordance with the IPEC-PQG Joint Good Manufacturing Practice Guide. The material represented by this Certificate of Analysis is not suitable to be used as an Active Pharmaceutical Ingredient, Drug, Drug Product or Household Item.

Prepared by: Jaw Mall Date: 12/14/25 Job Title: OA Tech III

Reviewed by: Date: 12/16/25 Job Title: Senior Quality Manager