



100 Majestic Way, Bangor, PA 18013 / www.biospectra.us

Effective Date:	07-Jun-2023	07-Jun-2026	: Date of Next Review
Prepared By:	Virginia Pena	BSI-COA-0131 v.6.1	: Supersedes
QA/QC Approval:	Carissa Albert	Amy Yenko	: Management Approval
Reason for Revision:	See Revision History in MasterControl.		

CERTIFICATE OF ANALYSIS
L-CYSTINE diHCl
BIO PHARMA GRADE / LCYS-4250-92
LOT: LCYS-0123-00011

$C_6H_{12}N_2O_4S_2 \cdot 2HCl$ \wedge F.W. 313.22 g/mol. \wedge CAS# 30925-07-6

Retest Date: 04/14/25

Manufacturing/Packaging Date: 06/05/23 Packaging Site: 100 Majestic Way, Bangor PA, 18013

ANALYSIS	SPECIFICATION	TEST RESULT
Appearance and Color	White to Slightly Yellow Crystalline Powder	White Crystalline Powder
Assay (Dried Basis)	98.0% - 102.0%	99.58%
Bioburden	\leq 100 CFU/g	5 CFU/g
Chloride	22.2% - 23.5%	22.54%
Endotoxin	<0.02 EU/mg	Complies
Heavy Metals (Pb)	<10 ppm	0.939 ppm
Identification (IR Spectrum)	Passes Test	Complies
Loss on Drying @ 105°C	\leq 0.5%	0.14%
pH (0.1% soln.)	Report	2.242
Residue on Ignition	\leq 0.1%	0.05%
Specific Rotation (Free Basis) @ 20°C	-225.0° to -215.0°	-220.54°
Solubility	Passes Test	Complies

COUNTRY OF ORIGIN: India

TEST RESULTS: Test Results are obtained from the approved supplier's certificate of analysis.

INTENDED USE: Material represented by this Certificate of Analysis is suitable for use as a process chemical. It is GMP manufactured by the approved supplier in accordance with the approved supplier's ISO 9001:2015 certified management system. The material represented by this Certificate of Analysis is not suitable to be used as an Active Pharmaceutical Ingredient, Drug, Drug Product or Household Item.

RETEST DATE: The retest date is obtained from the approved supplier's certificate of analysis.

Prepared by: M. Shafer Date: 06/29/23 Job Title: QA Mater. Disp. Tech. III

Reviewed by: [Signature] Date: 6/29/23 Job Title: QA Mater. Disp. Supervisor