

100 Majestic Way, Bangor, PA 18013 / www.biospectra.us

Effective Date:	13-Aug-2021	13-Aug-2024	: Date of Next Review
Prepared By:	Jared L Lobb	20-001826 v.2.0	: Supersedes
QA/QC Approval:	Jaron Hughes	Wendy Santay	: Management Approval
Reason for Revision:	See Revision History in ensur.		

CERTIFICATE OF ANALYSIS
GUANIDINE THIOCYANATE
BIO ULTRA GRADE / NEW CODE GTHI-5221-25
(HISTORICAL CODE GT5221-K025)
LOT: GTHI-0121-00003

NH₂C(NH)NH₂·HSCN ▲ F.W. 118.16 g/mol. ▲ CAS#: 593-84-0
 Manufacturing/Packaging Date: 12/14/21 Retest Date: 12/31/23
 Packaging Site: 100 Majestic Way, Bangor PA, 18013

ANALYSIS		SPECIFICATION	TEST RESULT
Appearance and Color		White / Crystals	White / Crystals
Assay, Dried Basis		≥ 99.0%	100.0%
Enzymes	DNase	None Detected	None Detected
	RNase	None Detected	None Detected
Heavy Metals (as Lead)		≤ 5 ppm	<5 ppm
Identification (IR)		Conforms to Structure	Conforms to Structure
Solubility (Colour)		Colorless	Colorless
Solubility (Turbidity) 100mg/mL H ₂ O		Clear	Clear
Trace Metals	Barium (Ba)	≤ 0.0005%	≤0.0005%
	Iron (Fe)	≤ 0.0005%	≤0.0005%
	Potassium (K)	≤ 0.005%	≤0.005%
	Sodium (Na)	≤0.5%	≤0.5%

TEST METHOD REFERENCE: 16-000043

INTENDED USE: Material represented by this Certificate of Analysis is suitable for use as a process chemical. The material represented by this Certificate of Analysis is not suitable to be used as an Excipient, Active Pharmaceutical Ingredient, Drug, Drug Product or Household Item.

Prepared by: Jaron Hughes Date: 12/16/21 Job Title: QA Specialist

Reviewed by: [Signature] Date: 12/16/21 Job Title: QA Manager