

BIOSPECTRA

100 Majestic Way, Bangor, PA 18013 / www.biospectra.us

Effective Date:	08-Feb-2024	08-Feb-2027	: Date of Next Review
Prepared By:	Taylor Yurick	BSI-COA-0036 v.6.0	: Supersedes
QA/QC Approval:	Jessica DeMaio	Hannah Kuchmas	: Management Approval
Reason for Revision:	See Revision History in MasterControl		

CERTIFICATE OF ANALYSIS HEPES

BIO EXCIPIENT GRADE / NEW CODE HEPE-3220-25

(HISTORICAL CODE HE3220-K025)

LOT: HEPE-0124-00089

C₈H₁₈N₂O₄S * F.W. 238.30 g/mol. * CAS# 7365-45-9

Manufacturing Date: 07/20/24 Retest Date: 07/31/26

Manufacturing Site: 100 Majestic Way, Bangor PA, 18013

Packaging Date: 07/25/24

Packaging Site: 100 Majestic Way, Bangor PA, 18013

ANALYSIS		SPECIFICATION	TEST RESULT
Absorbance (0.1M)	250 nm	0.0500 a.u. max.	0.0107 a.u.
	260 nm	0.0500 a.u. max.	0.0065 a.u.
	280 nm	0.0800 a.u. max.	0.0055 a.u.
Absorbance (0.05M)	250 nm	0.0500 a.u. max.	0.0051 a.u.
	260 nm	0.0500 a.u. max.	0.0028 a.u.
	280 nm	0.0800 a.u. max.	0.0023 a.u.
Appearance and Color		White / Crystals	White / Crystals
Assay, Dried Basis		99.5% min.	100.3%
Chloride		0.005% max.	< 0.005%
Endotoxins		≤ 5 EU/g	< 1 EU/g
Enzymes	DNase	None Detected	None Detected
	RNase	None Detected	None Detected
	Protease	None Detected	None Detected
Heavy Metals		1 ppm max.	< 1 ppm
Identification (IR)		Passes Test	Passes Test
Insoluble Matter		0.01% max.	< 0.01%
Loss on Drying		0.5% max.	< 0.5%
Microbial Content	TAMC	≤ 100 CFU/g	< 10 CFU/g
	TYMC	≤ 100 CFU/g	< 10 CFU/g

The information contained herein is the confidential property of BioSpectra. The recipient is responsible for its safe-keeping and the prevention of unauthorized appropriation, use, disclosure and copying.

ANALYSIS	SPECIFICATION	TEST RESULT
pH (5% Soln)	5.0 – 6.5	5.3
pK _a	7.45 – 7.65	7.50
Residue on Ignition	0.1% max.	< 0.1%
Solubility (5%)	Passes Test	Passes Test
Solubility (0.05M)	Passes Test	Passes Test
Sulfate	0.005% max.	< 0.005%
Trace Metals	Arsenic (As)	< 0.45 ppm
	Copper (Cu)	< 0.15 ppm
	Iron (Fe)	< 0.30 ppm
	Lead (Pb)	< 0.30 ppm

COUNTRY OF ORIGIN: U.S.A.

TEST METHOD REFERENCE: DCN: BSI-ATM-0070

INTENDED USE: Material represented by this Certificate of Analysis is suitable for use as an excipient. It is manufactured in accordance with the ICH Q7 Good Manufacturing Practice Guide. The material represented by this Certificate of Analysis is not suitable to be used as an Active Pharmaceutical Ingredient, Drug Product or Household Item.

RESIDUAL SOLVENT STATEMENT: Based on the manufacturing process and the controlled handling, storage and analysis of this product, this product complies with the requirements and specifications listed in the current USP method <467> Tables 1, 2, 3, or 4.

Prepared by: *Druid McCall* Date: 8/21/24 Job Title: QA Tech I

Reviewed by: *John Berger* Date: 8/21/24 Job Title: QA Supervisor