

ANALYSIS	SPECIFICATION	TEST RESULT
² Soluble Starch	Passes Test	Passes Test
Chloride and Sulfate, <i>Sulfate</i>	≤ 0.0200%	≤ 0.0200%
² Water Determination	9.0% to 11.0%	10.2%

EP COMPENDIA		
ANALYSIS	SPECIFICATION	TEST RESULT
¹ Assay	³ 98.0 - 101.0%	100.4%
Appearance of Solution	Clear, colorless	Clear, colorless
Chlorides	≤ 0.0125%	≤ 0.0125%
² Endotoxins	³ ≤ 2.4 EU/g	<0.2 EU/g
² Identification A	Conforms to Standard	Conforms to standard
² Identification B	Passes Test	Passes Test
² Identification C	Passes Test	Passes Test
	Impurity A	≤ 0.5%
	Impurity B	≤ 0.5%
¹ Related Substances	Unspecified Impurities	≤ 0.2%
	Total Impurities	≤ 1.0%
	<i>Escherichia coli</i>	Absent/g
	<i>Salmonella species</i>	Absent/10g
² Microbial Content	TAMC	≤ 100 CFU/g
	TYMC	≤ 100 CFU/g
² pH @ 25°C	4.5 - 6.5	5.6
² Soluble Starch	Passes Test	Passes Test
² Specific Optical Rotation @ 20°C	+197° to +201°	+199°
Sulfated Ash	≤ 0.1%	≤ 0.1%
Sulfates	≤ 0.0200%	≤ 0.0200%
² Water	9.0% to 11.0%	10.2%

JP COMPENDIA		
ANALYSIS	SPECIFICATION	TEST RESULT
¹ Assay	98.0% - 101.0%	100.4%
Chloride	≤ 0.018%	≤ 0.018%
² Dextrin, Soluble Starch, Sulfite	Passes Test	Passes Test
Heavy Metals (as Pb)	≤ 5 ppm	≤ 5 ppm
² Identification 1	Passes Test	Passes Test

ANALYSIS		SPECIFICATION	TEST RESULT
² Identification 2		Passes Test	Passes Test
² Identification 3		Conforms to Standard	Conforms to Standard
² Nitrogen		≤ 0.005%	0.001%
² Optical Rotation @ 20°C		+197° to +201°	+199°
² pH @ 25°C		4.5 – 6.5	5.6
² Residue on Ignition		≤ 0.1%	≤ 0.1%
¹ Related Substances	Total Impurities with RRT <1.0	≤ 0.5%	≤ 0.5%
	Total Impurities with RRT >1.0	≤ 0.5%	≤ 0.5%
Sulfate		≤ 0.024%	≤ 0.024%
² Water		9.0% to 11.0%	10.2%

NON-COMPENDIAL ANALYSES

ANALYSIS		SPECIFICATION	TEST RESULT
Appearance and Color		White to Almost White Crystalline Powder	White to Almost White Crystalline Powder
¹ Residual Ethanol		≤ 200 ppm	<200 ppm
¹ Residual Isopropyl Alcohol		≤ 250 ppm	<250 ppm
¹ Residual Methanol		≤ 50 ppm	<50 ppm

¹Alternate Validated Method²Analyses are Harmonized³Specifications is more stringent than Compendia Monograph

COUNTRY OF ORIGIN: U.S.A.

TEST METHOD REFERENCE: DCN: BSI-ATM-0027

INTENDED USE: Material represented by this Certificate of Analysis is suitable for use as an excipient. It is manufactured in accordance with the ICH Q7 Good Manufacturing Practice Guide. The material represented by this Certificate of Analysis is not suitable to be used as an Active Pharmaceutical Ingredient, Drug Product or Household Item.

RESIDUAL SOLVENTS STATEMENT: Based on the manufacturing process and the controlled handling, storage and analysis of this product, this product complies with the requirements and specifications listed in the current USP method <467> Tables 1, 2, 3, or 4. Ethanol and Methanol are not used in the manufacturing process.

Prepared by: Jamie Plough Date: 12/19/22 Job Title: QA Specialist
Assoc. Director

Reviewed by: Cassie Allert Date: 12/19/22 Job Title: of Quality