

BioSpectra Questionnaire for Nitrosamines Risk Evaluation

Introduction

Several authorities issued guidance and information on nitrosamine impurities within which are requests for Marketing Authorization Holders (MAHs) to conduct a risk evaluation with regards to nitrosamine formation in their drug products. Excipients, Active Pharmaceutical Ingredients, Process Chemicals, and their raw materials can contribute to the formation or content of nitrosamines in drug products through precursor substances present in the excipient (e.g., nitrites, amines, or other nitrogen containing compounds). This questionnaire aims to provide information about these substances, and their raw materials, to assist the MAH in their evaluation of the risk of the presence of nitrosamine impurities in the final drug product. It is not the requirement of the Active Pharmaceutical Ingredient, Excipient, Process Chemical, and their raw material manufacturers to conduct a nitrosamine risk assessment, indeed this is not possible without specific knowledge of the actual and specific drug product formulation and properties of the active.

This questionnaire reflects the guidance from the EMA assessment report "Nitrosamine impurities in human medicinal products", the related EMA guidance² including the "Questions and answers for marketing authorization holders", the US FDA Guidance for Industry "Control of Nitrosamine Impurities in Human Drugs" and how they may be adapted for pharmaceutical excipients. This questionnaire additionally applies to Active Pharmaceutical Ingredients, Process Chemicals, and their raw materials.

The information generated should also assist companies to address similar requests from other regulatory authorities, based on our current understanding of global activities on this subject. The questionnaire includes a matrix to consider the structure and the origin of the material as a first risk indication. In addition, suppliers are encouraged to share their conclusion.

The use of a standard format will facilitate data collection from suppliers and thus enable a more efficient process of conducting the required risk assessments by drug product manufacturers / Marketing Authorisation Holders. With this form, suppliers can provide information for nitrosamine risk evaluation to the best of their knowledge, considering available supplier information and likely chemical production processes where information from the supplier is not available.

This BioSpectra Questionnaire for Nitrosamines Risk Evaluation was derived from the current IPEC Federation Questionnaire for Excipient Nitrosamines Risk Evaluation Version 1 – February 2023, and other relevant sources. Reference https://www.ipec-europe.org/articles/questionnaire-for-excipient-nitrosamines-risk-evaluation.html.

¹ European Medicines Agency (EMA): Assessment report, procedure under Article 5(3) of Regulation EC (No) 726/2004, Nitrosamine impurities in human medicinal products: https://www.ema.europa.eu/en/documents/referral/nitrosamines-emea-h-a53-1490-assessment-report en.pdf

² European Medicines Agency (EMA): Nitrosamine impurities, Guidance for marketing authorization holders: https://www.ema.europa.eu/en/human-regulatory/post-authorisation/referral-procedures/nitrosamine-impurities#guidance-for-marketing-authorisation-holders-section.

³ European Medicines Agency (EMA): Questions and answers for marketing authorization holders/applicants on the CHMP Opinion for the Article 5(3) of Regulation (EC) No 726/2004 referral on nitrosamine impurities in human products: https://www.ema.europa.eu/en/documents/referral/nitrosamines-emea-h-a53-1490-questions-answers-marketing-authorisation-holders/applicants-chmp-opinion-article-53-regulation-ec-no-726/2004-referral-nitrosamine-impurities-human-medicinal-products en.pdf

⁴ U.S. Food & Drug Administration, Control of Nitrosamine Impurities in Human Drugs. https://www.fda.gov/media/141720/download

This information for nitrosamine risk evaluation is applicable to the following:

Material name	Tris Hydrochloride, Bio Excipient Grade and Bio Pharma Grade				
Product number(s)	All Bio Excipient Grade and Bio Pharma Grade product codes				
Company Name:	BioSpectra Inc.				
Completed by / Date	Cassie Baun 4/22/24				
Job title	Senior Compliance Specialist				
Signature	Cassi Baun				

Target Material: Nitrogen containing? Selections		☐ Proteins, enzymes, products of fermentation or	Synthetic origin and nitrogen containing		
		extraction of biologic sources			
Target Material: Nitrogen containing	No	☐ Mined materials, N-free products of fermentation or natural origin	☐ N-free mineral acid bases, organic solver polymers, inorganic salts organic N-free entitie		vents, alts, small
		No		Yes	
		Chemical Synthetic M Including processes to introduce chemic materials or substar	cally synthesize	Process? ed fragments to	o biological
s sodium nir		Chemical Synthetic M Including processes to introduce chemical	cally synthesize	Process? ed fragments to	Not available
osating ager - used in	nt ⁶ :	Chemical Synthetic M Including processes to introduce chemicals or substar NO ₂) or any other nitrite or ps in the manufacturing process ⁷ as	cally synthesize	Process? ed fragments to	Not available applicable o
used in reagent	nt ⁶ : n any ste ts/cataly n to be us als or int	Chemical Synthetic M Including processes to introduce chemicals or substar NO ₂) or any other nitrite or ps in the manufacturing process ⁷ as	cally synthesize	Process? ed fragments to origin	Not available applicable o
 used in reagen known materia process known reagen 	nt ⁶ : n any ste ts/cataly to be us als or int ss? to be us ts/cataly	Chemical Synthetic M Including processes to introduce chemic materials or substar NO ₂) or any other nitrite or ps in the manufacturing process ⁷ as st? led in the preparation of raw	cally synthesizences of natural of the synthesizences of the synt	Process? ed fragments to origin	Not available applicable o unknown
 used in reagen known materia process known reagen known 	nt ⁶ : n any ste tts/cataly to be us als or int ss? n to be us ats/cataly acturing	Chemical Synthetic M Including processes to introduce chemic materials or substar NO ₂) or any other nitrite or ps in the manufacturing process ⁷ as st? the din the preparation of raw the manufacturing are din the manufacturing the manufacturing of sts/processing aids used in the	eally synthesizences of natural of the synthesizences of the synthesizences of natural of the synthesizences	Process? ed fragments to origin NO NO	Not available applicable o unknown

⁵ Nitrogen-free materials are considered to be of lower inherent risk for nitrosamine contamination as they are typically manufactured and do not contain without nitrosatable structures. Nitrosamines have been observed in medicinal products with N-containing APIs of chemical synthetic origin. EMA concludes that there is a very low risk of nitrosamines being present as impurities in biological medicinal products, although it can't be completely ruled out. ¹ see Guidance 1 in Annex.

⁷ in this document, "manufacturing process" refers to the manufacturing steps that are outlined in the flow chart of the manufacturing procedure for the mentioned product.

manufacturing process. Nitric Acid is used by BioSpectra's Approved Raw Material Supplier in the initial synthesis step. BioSpectra uses Tris and HCl from approved Raw Material Suppliers to synthesize and purify Tris Hydrochloride. BioSpectra does not intentionally add any additional Nitric Acid, Nitrous Acid, Nitric Oxide, and Organic Nitrites during the BioSpectra manufacturing process to synthesize Tris Hydrochloride.			
3) Have you analysed the material and are results available for*:			·
- Nitrites?	YES □	NO ⊠	Test result, if available-
- Nitrates?	YES □	NO ⊠	report below or
- Nitrosamines?	YES □	NO ⊠	provide separately
*Default testing is NOT mandatory but may be performed if considered relevant for a specific material. If yes, please provide test results for the tested analyte and a general indication of the applied test method and indicate if testing was performed in-house or contracted out. Test results: Not Applicable Note: Presently, nitrite testing is not harmonized, and results may vary depending on the method used by different manufacturers of the same material. Users are encouraged to test themselves when comparing suppliers. BioSpectra has not analyzed Tris Hydrochloride for Nitrites, Nitrates, or Nitrosamines. BioSpectra's Approved Tris Raw Material Supplier has analyzed Tris raw material with			
analytical data confirming the lack of nitrosamines found in any quantifiable level with a 20ppb limit of detection, and has stated that they have analytical data that supports and shows that the Tris raw material utilized in BioSpectra's manufacturing process to synthesize Tris Hydrochloride does not contain the nitrosamines principally attributed to the presence of the specific nitrosating species indicated. BioSpectra uses Tris and HCI from approved Raw Material Suppliers to synthesize and purify Tris Hydrochloride.			

4) Is water used in the manufacturing process ⁸ ?	YES ⊠	NO 🗆	Not Applicable
If "Yes": i. Is the water used prepared by distillation, by ion exchange or by reverse osmosis?	YES ⊠ NO □		
ii. If 'no' and potable water is used, where possible, please report the maximum level of:		Not Available	
- Nitrites	ppm		\boxtimes
- Nitrates	ppm		\boxtimes
(Note: Purified water according Ph. Eur. Complies with a Nitrates level of maximum 0.2ppm)			
(Note: Nitrite is a controlled impurity in potable water with a WHO guideline limit of 3 mg/L and a European limit of 0.5 mg/L.) ⁹			
5) Are there any secondary and/or tertiary amines ¹⁰ present in the manufacturing process as ⁷ :			Not available/ applicable or unknown
- Raw material ¹¹ ?	YES ⊠	NO □	
- Intermediate?	YES □	NO 🗵	
- Reagent?	YES 🗆	NO ⊠	
- Processing aids?	YES 🗆	NO ⊠ NO ⊠	
- Catalyst?	YES □ YES □	NO ⊠	
- Solvent?	YES YES	NO ⊠	
- Process Chemical, Excipient, or Active Pharmaceutical	ILS	1,0	
Ingredient, etc. supplied to customer?			Not available / applicable or
If yes, are those amines present in the		NO F7	unknown
	YES 🗆	NO ⊠	
- Same - Previous	YES 🗆	NO ⊠ NO □	
- Subsequent	YES 🗵	NOL	
step as any nitrosating agent mentioned in question 2?			
Please provide any relevant information about the chemical name and structure of the amine(s):			
BioSpectra's Approved Tris Raw Material Supplier has shown that secondary and tertiary amines may be generated as impurities during the raw material manufacturing process. BioSpectra uses Tris and HCl from approved Raw Material Suppliers to synthesize and purify Tris Hydrochloride. BioSpectra does not intentionally add any secondary or tertiary amines during the BioSpectra manufacturing process to synthesize Tris Hydrochloride.			

⁸ EMA Guideline on the quality of water for pharmaceutical use: https://www.ema.europa.eu/en/documents/scientific-guideline/guideline-quality-water-pharmaceutical-use_en.pdf

⁹ Ian W. Ashworth, Olivier Dirat, Andrew Teasdale, and Matthew Whiting. Potential for the Formation of N-Nitrosamines During the Manufacture of Active Pharmaceutical Ingredients: An Assessment of the Risk Posed by Trace Nitrite in Water, Org. Process Res. Dev. 2020, 24 (9), 1629-1646:

https://www.sciencedirect.com/org/science/article/abs/pii/S1083616021021551

¹⁰ see Guidance 2 in Annex

¹¹ IPEC General Glossary of Terms and Acronyms: https://www.ipec-europe.org/guidelines.html

			T
6) Is there any amide, primary amine 12 or ammonium salt used or present in the manufacturing process as:		-	Not available/ applicable or unknown
- Raw material	YES 🗵	NO □	
- Intermediate	YES 🗵	NO □	
- Reagent / Base	YES □	NO ⊠	
- Processing aid	YES □	NO 🗵	
- Catalyst	YES □	$NO \boxtimes$	
- Solvent	YES ⊠	NO □	
- Washing Fluid	YES □	NO ⊠	
- Process Chemical, Excipient, or Active Pharmaceutical	YES ⊠	NO □	
Ingredient, etc. supplied to customer?			
Please provide information about the chemical name and structure:	·		
Tris Hydrochloride chemical structure contains a primary amine. Solvent refers to approved Tris Hydrochloride recycled mother liquor used in the BioSpectra manufacturing process. BioSpectra's Approved Tris Raw Material Supplier has shown that primary amines may be generated as impurities during the raw material manufacturing process. BioSpectra uses Tris and HCl from approved Raw Material Suppliers to synthesize and purify Tris Hydrochloride. BioSpectra does not intentionally add any additional Amides, Primary Amines, or Ammonium Salts during the BioSpectra manufacturing process to synthesize Tris Hydrochloride.			
Tris Hydrochloride Chemical Structure: HO OH • HCI H ₂ N OH			
Primary Amine Chemical Structure: H H H			

 $^{^{12}}$ Primary amines may reduce the risk of nitrosamines formation. See KK Nanda et al., J Pharm Sci 2021 (12), 3773; DOI: $https://doi.org/10.1016/j.xphs.2021.08.010; M Homsak, Processes 2022 (10), 2428; \\ https://doi.org/10.3390/pr10112428$

The information contained herein is the confidential property of BioSpectra. The recipient is responsible for its safe-keeping and the prevention of unauthorized appropriation, use, disclosure and copying.

7) Recycled/recovered Solvents ¹³ : - Are recycled / recovered nitrogen containing solvents used in the manufacturing process? Please provide information about the usage, and any controls in place: Tris Hydrochloride mother liquor is analysed for absorbance and assay prior to use in the Tris Hydrochloride manufacturing process.	YES ⊠	NO 🗆	Not available/ applicable or unknown
8) Equipment:	NDC =	No T	Not available/ applicable or unknown
- Is the product manufactured in multipurpose equipment?	YES 🗆	NO ⊠	
- In case of multipurpose equipment, is the equipment used for manufacturing of any material involving nitrites, nitrosating agents or material with identified risk of formation of nitrosamines?	YES □	NO □	
- Are chloramines used as part of cleaning procedures used for manufacturing equipment?	YES 🗆	NO ⊠	
9) Additional comments, if any, not covered in the questionnaire			
If "information is not available" has been ticked to any option comments here.	in question 2),	please includ	e any additional
Not Applicable			, 1
			:
			-

¹³ see Guidance 3 in Annex.

The information contained herein is the confidential property of BioSpectra. The recipient is responsible for its safe-keeping and the prevention of unauthorized appropriation, use, disclosure and copying.

Annex14:

Guidance 1 (Sources of nitrosating agents)

Nitrosating agents to be considered include nitrites (e.g., sodium nitrite, $NaNO_2$) and nitrous acid (HNO_2), nitric oxide (NO_2), nitrosyl halides (e.g., CINO, BrNO), dinitrogen trioxide (N_2O_3), dinitrogen tetroxide (N_2O_4) and organic nitrites (e.g., t-BuONO). Nitrosating agents purposely used in the manufacturing process and/or introduced as impurities (e.g. from the input materials or water) should be considered.

Other potential nitrosation risks:

- Side reaction in nitration reactions. Nitric acid typically contains nitric oxide as an impurity, additional nitrous acid may also be produced, leading to nitrosation, if any reducing agents are present.
- Hydroxylamine under oxidative conditions.
- •Chloramines are known to generate N-nitrosamines under certain conditions and so should also be considered. ¹⁵
- •Ozone may lead to the formation of N-nitrosamines by initial oxidation of amines to nitrite. 12
- •Use of azide salts and azide compounds is commonly followed by quenching with nitrous acid or nitrites and may lead to nitrite residues. ¹³
- •Nitric acid and nitrates under reducing conditions may result in by-products with nitrosating activity. ¹³

This evaluation must include the use of all chemicals within a process, including those used during the quench and work-up as well as during reactive chemistry.

Guidance 2 (Sources of secondary and tertiary amines)¹⁶

Secondary amines are of greatest concern, however tertiary amines can also undergo nitrosation via more complex pathways. All secondary and tertiary aliphatic and aromatic amines should therefore be considered including those present as part of the starting material, intermediate or final structure as well as those introduced as reagents, catalysts, solvents or as impurities.

Tertiary amine bases (i.e., triethylamine, diisopropylethylamine and N-methyl morpholine) may contain secondary amines as impurities.

Secondary Amines may also be introduced as impurities or degradants:

- •Of common amide containing solvents such as N,N-dimethylformamide (DMF), N,N-dimethylacetamide (DMAC) and N-methyl pyrrolidinone (NMP)
- •Of quaternary ammonium salts such as tetrabutylammonium bromide (TBAB)
- Of primary amines such as methylamine
- •Of starting materials, intermediates, or the product itself

This evaluation must include the use of all chemicals within a process, including those used during the quench and work-up as well as during reactive chemistry.

¹⁴ This information is partly transferred from the EFPIA decision tree for drug substances, published 1 Nov 2019.

¹⁵ Nawrocki, J et al. Nitrosamines and Water, J. Hazard. Mater. 2011, 189, 1-18.

¹⁶ SCCS (Scientific Committee on Consumer Safety), Opinion on Nitrosamines and Secondary Amines in Cosmetic Products, 27 March 2012.

Guidance 3 (Potential contamination risks)

Consider all potential sources of contamination (*N*-nitrosamines, nitrosating agents, vulnerable amines, etc.) in input materials.

Use of recovered materials (solvents, reagents, catalysts) is of particular concern if appropriate controls are not put in place. The materials DMF, ortho-xylene and tributyltin chloride were highlighted by the EMA as materials at risk of cross contamination by N-nitrosamines. Sodium azide was highlighted by Health Canada for risk of cross contamination with nitrite.

Cross contamination from other processes using shared equipment should be considered. Steps performed under GMP (using solvents/reagents with appropriate controls, and controls on their recovery and reuse) are a lower cross contamination risk.

Guidance 4 (Determining an acceptable level)

Interim acceptable daily intakes for chronic exposure to several common N-nitrosamines have been defined. See literature reference¹⁷ for EMA interim acceptable daily intake for chronic exposure to common N-nitrosamines.

Processes to determine acceptable intakes for all other N-nitrosamines should be in alignment with the EFPIA paper.

These levels should be adjusted for less than lifetime exposures as described in ICH M7.¹⁹

Calculate acceptable limits in ppm relative to the substance using the maximum daily dose. Higher limits may be justified for ICH S9 indications. ²⁰

Guidance 5 (Conducting purge assessments)²¹

Where a nitrosating agent and amine have the potential to be concurrently present an assessment of the process conditions should be conducted to determine if a N-nitrosamine could potentially be formed and what the maximum realistic level could be. Nitrosation occurs more rapidly under acidic conditions (apart from organic nitrites) and may also be catalysed by certain anions and aldehydes (notably thiocyanate and formaldehyde). ^{10, 22}

During purge calculations consider the likely physicochemical characteristics of the N-nitrosamine which may be formed. For instance, NDMA has a BP of 153°C and will partition in both aqueous and organic layers. It is highly soluble in water and organic solvents. Other, higher molecular weight, N-nitrosamines will behave differently.

N-nitrosamines are relatively stable compounds though the following conditions are known to result in denitrosation:

- Strongly acidic condition with a nucleophile trap (e.g. HCl with MeOH)
- Metal reducing conditions (e.g. Zn AcOH; Ni/Al KOH)
- Pd/C Hydrogenation
- Grignards
- Strong oxidants (H₂O₂; KMNO₄)

¹⁷ EMA, Temporary interim limits for NMBA, DIPNA and EIPNA impurities in sartan blood pressure medicines, 20 August 20, 2019.

¹⁸ EFPIA position with respect to safety related aspects of EMA and Health Canada requests for N-nitrosamine evaluations, 2019.

¹⁹ ICH M7, Assessment and Control of DNA Reactive (Mutagenic) Impurities in Pharmaceuticals to Limit Potential Carcinogenic Risk, 31 March 2017.

²⁰ ICH S9, Nonclinical Evaluation for Anticancer Pharmaceuticals, 29 October 2009.

²¹ Barber, C et al. A consortium-driven framework to guide the implementation of ICH M7 Option 4 control strategies. Regul. Toxicol. Pharmacol. 2017, 90, 22-28.

²² Williams, D. L. H. Nitrosation reactions and the chemistry of nitric oxide. 2004, Amsterdam, Elsevier.