

BIOSPECTRA

100 Majestic Way, Bangor, PA 18013 / www.biospectra.us

Effective Date:	28-Jan-2025	28-Jan-2028	: Date of Next Review
Prepared By:	Carissa Albert	BSI-COA-0317 v. 1.0	: Supersedes
QA/QC Approval:	Krista Rehrig	Hannah Kuchmas	: Management Approval
Reason for Revision:	See Revision History in MasterControl.		

CERTIFICATE OF ANALYSIS

GUANIDINE HYDROCHLORIDE

BIOTECH, MEETS NF, GMP

BIO PHARMA GRADE / GHCL-4223

LOT#: GHCL-0224-00042

 $\text{NH}_2\text{C}(\text{NH})\text{NH}_2\cdot\text{HCl}$ \wedge F.W. 95.53 g/mol. \wedge CAS# 50-01-1

Manufacturing Date: 07/29/24

Retest Date: 07/31/26

Manufacturing Site: 1474 Rockdale Lane, Stroudsburg, PA 18360

Packaging Site: 100 Majestic Way, Bangor PA, 18013

ANALYSIS	SPECIFICATIONS	RESULT	
Acidity (NF)	$\leq 0.01 \%$	$< 0.01 \%$	
Appearance and Color	White / Crystals	White / Crystals	
Assay, Dried Basis (NF)	99.5 - 101.0 %	100.2 %	
Chloride and Sulfate, Sulfate (NF)	≤ 50 ppm	< 50 ppm	
Enzymes	DNase	None Detected	
	Protease	None Detected	
	RNase	None Detected	
Identification A, IR (NF)	Conforms to Reference Standard	Conforms to Reference Standard	
Identification B, Absorbance (NF)	230nm	≤ 0.2000 a.u.	0.0738 a.u.
	260nm	≤ 0.0300 a.u.	0.0057 a.u.
	275nm	≤ 0.0300 a.u.	0.0016 a.u.
Identification C, Chloride (NF)	Meets the Requirements of Test A	Meets the Requirements of Test A	
Limit of Nitrate (NF)	≤ 50 ppm	< 50 ppm	
Loss on Drying (NF)	$\leq 0.5 \%$	0.1 %	
Melting Range (NF)	184 – 188 °C	185 - 187 °C	
pH (6M)	4.5 - 6.0	4.9	
Residue on Ignition (NF)	$\leq 0.05 \%$	$< 0.05 \%$	
Solubility (6M)	Passes Test	Passes Test	

The information contained herein is the confidential property of BioSpectra. The recipient is responsible for its safe-keeping and the prevention of unauthorized appropriation, use, disclosure and copying.

ANALYSIS	SPECIFICATIONS	RESULT
Aluminum (Al)	≤ 5 ppm	< 1.5 ppm
Arsenic (As)	≤ 5 ppm	< 0.45 ppm
Barium (Ba)	≤ 5 ppm	< 1.5 ppm
Bismuth (Bi)	≤ 5 ppm	< 3.0 ppm
Calcium (Ca)	≤ 10 ppm	< 1.5 ppm
Cadmium (Cd)	≤ 5 ppm	< 0.06 ppm
Cobalt (Co)	≤ 5 ppm	< 0.15 ppm
Chromium (Cr)	≤ 5 ppm	< 1.5 ppm
Copper (Cu)	≤ 5 ppm	< 0.15 ppm
Iron (Fe)	≤ 5 ppm	< 0.90 ppm
Potassium (K)	≤ 50 ppm	< 15 ppm
Lithium (Li)	≤ 5 ppm	< 1.5 ppm
Magnesium (Mg)	≤ 5 ppm	< 1.5 ppm
Manganese (Mn)	≤ 5 ppm	< 1.5 ppm
Molybdenum (Mo)	≤ 5 ppm	< 3.0 ppm
Sodium (Na)	≤ 150 ppm	< 15 ppm
Nickel (Ni)	≤ 5 ppm	< 0.60 ppm
Lead (Pb)	≤ 5 ppm	< 0.15 ppm
Strontium (Sr)	≤ 5 ppm	< 1.5 ppm
Zinc (Zn)	≤ 5 ppm	< 1.5 ppm
Trace Metals		
Water, KF	≤ 0.3 %	0.1%
Water Insoluble (NF)	≤ 0.05 %	< 0.05%

COUNTRY OF ORIGIN: U.S.A.

TEST METHOD REFERENCE: BSI-ATM-0013

INTENDED USE: Material represented by this Certificate of Analysis is suitable for use as a process chemical. It is manufactured in accordance with the IPEC-PQG Joint Good Manufacturing Practice Guide. The material represented by this Certificate of Analysis is not suitable to be used as an Active Pharmaceutical Ingredient, Drug, Drug Product or Household Item.

Prepared by: Amil McCall Date: 11/31/25 Job Title: QA Tech III

Reviewed by: Car Albert Date: 11/31/25 Job Title: Senior Quality Manager