

BIOSPECTRA

100 Majestic Way, Bangor, PA 18013 / www.biospectra.us

Effective Date:	28-Sep-2020	28-Sep-2023	: Date of Next Review
Prepared By:	Amy Hosein	16-001185 v.4.1	: Supersedes
QA/QC Approval:	Carissa McCollan	Amy Yencho	: Management Approval
Reason for Revision:	See Revision History in ensur.		

CERTIFICATE OF ANALYSIS

HEPES

BIO EXCIPIENT GRADE / HE3220-K025

LOT: HE3220-063-0221

$C_8H_{18}N_2O_4S$ * F.W. 238.30 g/mol. * CAS# 7365-45-9
 Manufacturing Date: 2/10/21 Retest Date: 2/28/23
 Manufacturing Site: 100 Majestic Way, Bangor PA, 18013
 Packaging Date: 2/16/21
 Packaging Site: 100 Majestic Way, Bangor PA, 18013

ANALYSIS		SPECIFICATION	TEST RESULT
Absorbance (0.1M)	250 nm	0.0500 a.u. max.	0.0107 a.u.
	260 nm	0.0500 a.u. max.	0.0058 a.u.
	280 nm	0.0800 a.u. max.	0.0051 a.u.
Absorbance (0.05M)	250 nm	0.0500 a.u. max.	0.0072 a.u.
	260 nm	0.0500 a.u. max.	0.0045 a.u.
	280 nm	0.0800 a.u. max.	0.0037 a.u.
Appearance and Color		White / Crystals	White / Crystals
Assay, Dried Basis		99.5% min.	100.4%
Chloride		0.005% max.	< 0.005%
Endotoxins		≤ 5 EU/g	<1 EU/g
Enzymes	DNase	None Detected	None Detected
	RNase	None Detected	None Detected
	Protease	None Detected	None Detected
Heavy Metals		1 ppm max.	< 1 ppm
Identification (IR)		Passes Test	Passes Test
Insoluble Matter		0.01% max.	<0.01%
Loss on Drying		0.5% max.	<0.5%
Microbial Content	TAMC	≤ 100 CFU/g	<10 CFU/g
	TYMC	≤ 100 CFU/g	<10 CFU/g
pH (5% Soln)		5.0 – 6.5	5.4
pK _a		7.45 – 7.65	7.51

The information contained herein is the property of BioSpectra. The recipient is responsible for its safe-keeping, and the prevention of unauthorized appropriation, use, disclosure and copying.


ANALYSIS		SPECIFICATION	TEST RESULT
Residue on Ignition		0.1% max.	<0.1%
Solubility (5%)		Passes Test	Passes Test
Solubility (0.05M)		Passes Test	Passes Test
Sulfate		0.005% max.	< 0.005%
Trace Metals	Arsenic (As)	5 ppm max.	< 5 ppm
	Copper (Cu)	5 ppm max.	< 5 ppm
	Iron (Fe)	5 ppm max.	< 5 ppm
	Lead (Pb)	5 ppm max.	< 5 ppm


COUNTRY OF ORIGIN: U.S.A.

TEST METHOD REFERENCE: DCN: 16-001305

INTENDED USE: Material represented by this Certificate of Analysis is suitable for use as an excipient. It is manufactured in accordance with the ICH Q7 Good Manufacturing Practice Guide. The material represented by this Certificate of Analysis is not suitable to be used as an Active Pharmaceutical Ingredient, Drug Product or Household Item.

RESIDUAL SOLVENT STATEMENT: Based on the manufacturing process and the controlled handling, storage and analysis of this product, this product complies with the requirements and specifications listed in the current USP method <467> Tables 1, 2, 3, or 4.

Prepared by:  Date: 3/11/21 Job Title: QA Specialist

Reviewed by:  Date: 3/11/21 Job Title: QA Manager